

Prepared for:

Flower of Life CBD

P.O. Box 1206
SAN CLEMENTE, CA 92674


Og-Heart-333421


Batch ID or Lot Number: 333421	Test: Potency	Reported: 05Jan2023	USDA License: N/A
Matrix: Unit	Test ID: T000229521	Started: 02Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Jan2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Notes
Cannabichromene (CBC)	0.206	0.745	<LOQ	# of Servings = 1, Sample Weight = 12.419g
Cannabichromenic Acid (CBCA)	0.188	0.681	ND	
Cannabidiol (CBD)	0.721	1.944	5.350	
Cannabidiolic Acid (CBDA)	0.740	1.994	ND	
Cannabidivarin (CBDV)	0.171	0.460	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.309	0.832	ND	
Cannabigerol (CBG)	0.117	0.423	<LOQ	
Cannabigerolic Acid (CBGA)	0.488	1.768	ND	
Cannabinol (CBN)	0.152	0.552	ND	
Cannabinolic Acid (CBNA)	0.333	1.206	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.581	2.106	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.528	1.913	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.468	1.695	ND	
Tetrahydrocannabivarin (THCV)	0.106	0.385	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.413	1.495	ND	
Total Cannabinoids			5.350	
Total Potential THC			ND	
Total Potential CBD			5.350	

Final Approval


PREPARED BY / DATE
Sam Smith
07Dec2022
09:23:00 AM MST


APPROVED BY / DATE
Karen Winternheimer
07Dec2022
09:26:00 AM MST

<https://results.botanacor.com/api/v1/coas/uuid/f47dab4f-27dc-4a1a-935d-f0e69883d49f>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f47dab4f27dc4a1a935df0e69883d49f.1